# VOLUME CONTENTS

1990 VOLUME 32 NUMBER 1


| | | |
|---|---|---|
| A. Yu. Strunnikov, N. V. Mikhailova and A. V. Sidorovich | 1 | Effect of orientational stretching and the conditions of imidization on the supramolecular structure of films of poly(4,4′-oxydiphenylene)pyromellitimide subjected to high temperature treatment |
| Ye. P. Krasnov, L. D. Rudneva, Yu. I. Mitchenko, A. N. D'yachkov, V. I. Kuzub and A. S. Chegolya | 6 | Structure of polyethylene gel fibres |
| I. A. Gritskova, Ye. B. Malyukova, G. A. Simakova and V. P. Zubov | 11 | Effect of the mechanism of formation of polymer–monomer particles on the kinetic patterns of emulsion polymerization of acrylic monomers |
| Yu. M. Pashunin, A. I. Pertsin, V. A. Sergeyev, L. I. Vdovina and Yu. V. Smetannikov | 18 | Study of the interaction of polydimethylphenylene oxide with chromium vapours by X-ray photo-electron spectroscopy |
| B. Ya. Teitel'baum, A. T. Gubaidullin, T. A. Yagfarova, N. P. Apukhtina and L. A. Cherkasova | 23 | Polyester urethanes based on 1,5-naphthalene diisocyanate, structure and thermal behaviour |
| G. V. Kozlov, L. D. Mil'man and A. K. Mikitayev | 29 | Critical defect in polystyrene on impact loading |
| V. V. Korshak, M. M. Teplyakov, A. I. Kovalev, A. I. Khotina, R. A. Dvorikova and L. M. Gil'man | 34 | Synthesis of polymers based on acetylacenaphthene and 4,4′-diacetyldiphenyl oxide and study of their dehydrogenation by *p*-chloranil |
| Ye. V. Korneyeva, I. N. Shtennikova, V. P. Shibayev, S. I. Klenin, G. F. Kolbina, I. V. Yekayeva and S. A. Didenko | 41 | Hydrodynamic properties and equilibrium rigidity of oxypropyl cellulose molecules |
| N. N. Ul'yanova, I. A. Baranovskaya, S. Ya. Lyubina, M. A. Byezrukova, G. D. Rudkovskaya, B. M. Shabsel's, G. P. Vlasov and V. Ye. Eskin | 48 | Synthesis of the triblock copolymers poly-γ-benzyl-L-glutamate-PMMA-poly-γ-benzyl-L-glutamate and study of their conformation in solution |
| M. Ye. Solov'ev, V. A. Kapranov and V. I. Irzhak | 56 | Effect of the conditions of loading of the hydrocarbon chain on the probability distribution of thermomechanically initiated breakdown along its length |
| V. S. Yurchenko, K. P. Papukova and G. V. Samsonov | 59 | Interaction of carboxylic heteronetwork polyelectrolytes with water |
| S. S. Ivanchev, A. V. Kryzhanovskii, I. I. Gapon and Ye. L. Ponomareva | 64 | Nature of the promoting action of hexene-1 during copolymerization with ethylene on $TiCl_4/MgCl_2$ |
| V. G. Kulichikhin, A. Yu. Bilibin, Ye. M. Antipov, M. P. Zabugina, P. I. Khokhlov, Ye. P. Plotnikova, S. S. Skorokhodov and N. A. Platé | 68 | Aspects of flow and structural transitions in alkylene aromatic polyesters |
| V. G. Kulichikhin, M. Kh. Mirdzhanov, E. M. Antipov, Yu. I. Mitchenko, E. V. Popova, V. I. Kuzub and S. A. Kuptsov | 76 | Structural–rheological processes in the formation of fibres from solutions of high molecular polyethylene |
| N. A. Nikonorova, T. I. Borisova, L. L. Burshtein, Ya. S. Freidzon and V. P. Shibaev | 82 | Dielectric relaxation and the mobility of mesogenic groups in cholesterol-containing liquid crystal polymers with decouplings of different length |
| V. A. Ryzhov, V. A. Bershtein and A. B. Sinani | 90 | Far-infrared spectra and γ-relaxation in glass-like polymers |
| R. M. Ovsepyan, Yu. P. Yampolskii and A. V. Gevorkyan | 96 | Permeability of chloromethanes in copolymers of chloroprene with methyl methacrylate and methacrylic acid |
| V. A. Sergeev, V. K. Shitikov, A. I. Nechaev, B. D. Lavrukhin, L. I. Komarova and S. G. Gorbachev | 103 | Structure of phenol-formaldehyde oligomers based on 4-isopropenylphenol |
| E. M. Antipov, V. G. Kulichikhin, L. K. Golova, N. P. Kruchinin, D. R. Tur and N. A. Platé | 108 | Structure of poly-*bis*-trifluoroethoxyphosphazene fibres |
| E. M. Antipov, V. G. Kulichikhin, E. K. Borisenkova, V. V. Barancheeva, D. R. Tur and N. A. Platé | 116 | Features of the structure of poly-*bis*-trifluoroethoxyphosphazene extrudates |
| Kh. M. Gafurov | 122 | Effect of applied voltage on the attainment of steady current in an organic semiconductor |

A. V. Matveev and M. N. Tul'skii — 127 — On the selectivity and permeability of membranes from amorphous polymers

P. M. Pakhomov, V. P. Napasnikov, M. V. Shablygin and A. S. Chegolya — 133 — Molecular nature of reversible and irreversible strain in flexible chain polymers

P. M. Pakhomov, Ye. A. Yegorov, V. V. Zhizhenkov and A. S. Chegolya — 137 — Microprocesses accompanying strain in oriented polymers

N. V. Platonova, I. B. Klimenko, B. M. Tarakanov, K. Ye. Boyarkin, M. L. Syrkina, B. A. Vinogradov and S. P. Maiburov — 144 — Structural changes in polyacrylonitrile caused by a short intense energy pulse

V. A. Lopyrev, T. N. Kashik, T. G. Ermakova, E. I. Brodskaya, L. G. Kolzunova and N. Ya. Kovarskii — 150 — Electrochemically initiated polymerization of vinyl-substituted five-membered nitrogen-containing aromatic heterocycles

E. M. Antipov, S. A. Kuptsov, S. A. Belousov and E. V. Kotova — 154 — Structure of polyethylene in oriented binary blends annealed above its melting temperature

**Methods of investigation**

A. V. Lezov and N. V. Tsvetkov — 162 — Measurement of Kerr effect by means of sinusoidal impulses as a tool for studying the dynamics of macromolecules in conductive solutions

S. A. Dubrovskii, M. V. Afanas'eva, M. A. Lagutina and K. S. Kazanskii — 166 — Measurement of swelling in weakly crosslinked hydrogels

**Discussion**

R. E. Bareiss — 172 — Comments to the papers by E. Urinov *et al.* "Molecular and conformational parameters of the copolymer of vinylpyrrolidone with crotonaldehyde and of its complexes with 3d-transition metals in dilute solutions" and "Some conformational parameters of polyvinylpyrrolidone, polyvinylcaprolactam and of their copolymer in dilute solutions



**1990** **VOLUME 32** **NUMBER 2**



Yu. D. Semchikov — 177 — Current interpretation of the $Q$–$e$ scheme. Review

G. G. Kartasheva, Ye. G. Erenburg, V. F. Gridina, A. Yu. Ivanov, V. D. Dobkov and N. I. Sergeyeva — 188 — Study of change in the molecular mass distributions and compositions of linear and cyclic copolymerization products of octamethylcyclotetrasiloxane and $\alpha$-,$\omega$-dihydroxypolymethylphenyl siloxane using two-detector gel permeation chromatography

A. L. Margolin, M. A. Menendes Tomassevich and V. Ya. Shlyapintokh — 194 — Kinetics of the accumulation and decay of radicals on photo-oxidation of cellulose

V. I. Torgashov, Ye. V. Gert, A. V. Bil'dyukevich and F. N. Kaputskii — 202 — Study of the process of heterophasic $O$-nitrosation of cellulose

Yu. Ya. Gotlib and L. I. Klushin — 209 — Kinetic effects on uncoiling of macromolecules in flow with longitudinal velocity gradient

O. Yu. Os'kina, Yu. M. Sivergin, O. V. Pavlova, S. M. Kireyeva, V. M. Misin and M. I. Cherkashin — 216 — Study of polyester dimethacrylates with a system of conjugated bonds

T. A. Yurasova and A. N. Semenov — 223 — Nematic transition in the melts of polymer chains containing rigid and flexible fragments

Ye. A. Sinevich, A. M. Prazdnichnyi and N. F. Bakeyev — 230 — Role of liquid media during spontaneous elongation of crystallizable crazed polymers

G. V. Leplyanin, V. A. Nikonov, A. A. Yelichev and Yu. M. Shaul'skii — 237 — Copolymerization of alkyl vinylsulphoxides with vinyl monomers

L. K. Yanchevskii, N. I. Shut, M. V. Lazorenko and V. V. Levandovskii — 245 — Determination of the relaxation transition parameters from the results of thermophysical measurements

N. G. Antonov, V. M. Denisov and A. I. Koltsov — 248 — Interaction of $o$-carboxyamide fragments of aromatic polyamido acids with halides in aprotonic amide solvents

K. K. Malnin'sh, A. F. Podel'skii, A. D. Kutsenko and S. G. Semenov — 254 — The electronic structure of complexes of the benzyl anion and ion pairs with styrene

I. G. Krasnosel'skaya, L. D. Turkova and B. L. Yerusalimskii — 260 — Kinetic effects in systems containing acrylonitrile–anionic initiator–electron donor of the pyridine type

V. Ye. Smirnova, M. I. Bessonov and V. P. Sklizkova — 267 — Properties of oriented polyimide films prepared by different methods

I. N. Shtennikova, G. F. Kolbina, V. P. Shibaev and I. V. Yedaeva — 272 — Optical anisotropy of hydroxypropylcellulose macromolecules

| | | |
|---|---|---|
| R. L. Gaiduk, Yu. Yu. Kercha, A. G. Yakovenko, V. A. Bogdanovich and Ye. I. Oranskaya | 278 | Stimulation of microsegregation in segmented polyurethane semicarbazide |
| Ye. D. Popova and A. Ye. Chalykh | 282 | Determination of the proportion of free and bound sorbate in systems with permanent sorption–desorption hysteresis |
| A. Yu. Kryukov, A. V. Vannikov, A. A. Pakhratdinov, H.-H. Horhold and I. Opfermann | 287 | Hole transport in polyarylenovinylenes |
| P. A. Morozov, S. S. Radchenko, L. N. Rygalov, N. K. Morozova and A. V. Il'yasov | 294 | $^{13}C$ Nuclear magnetic relaxation in adamantane polyvinyl esters |
| M. A. Krykin | 301 | Sorption and diffusion of gas mixtures in polymers at high pressures. Mutual effects of components |
| O. G. Avdeeva, D. K. Sharaev, I. N. Markevich, E. I. Tinyakova, G. N. Bondarenko and B. A. Dolgoplosk | 308 | Polymerization of isoprene and piperylene under the action of triphenylmethylneodymium chloride systems |
| A. V. Volkova and N. V. Bokareva | 315 | Results of studying the collective excitation of electrons in polymers |
| E. G. Raevskaya, Ya. G. Urman, S. G. Alekseeva, E. S. Artsis and M. I. Siling | 321 | Investigation of the structure of aliphatic block-copolyamides by $^{13}C$ NMR |
| K. A. Voloshchuk, G. M. Tseitlin, N. S. Zabelnikov and A. I. Burya | 327 | Thermodynamic transformations of phenylquinoxaline systems |
| I. Diačik, O. Ďurčová, M. Mitterpachová and A. Diačiková | 335 | Morphology of poly(ethylene terephthalate) fibres prepared by various methods |
| V. A. Ivanov and A. N. Semenov | 340 | Elasticity and orientational ordering of polymer networks consisting of persistent macromolecules |
| I. I. Tverdokhlebova, T. A. Larina, N. V. Pertsova, I. A. Ronova, V. A. Byl'ev and Ye. P. Lebedev | 347 | Conditions of synthesis and properties of polydimethyldiethylsiloxanes |
| Yu. F. Zabashta | 354 | Three-phonon normal processes in crystallizable polymers |
| A. Ya. Gol'dman, V. G. Rupyshev, K. A. Vylegzhanina, O. K. Belomutskaya, G. D. Ballova and M. G. Rozhavskii | 361 | Controlling structure and formation of interfacial zones in impact-resistant polymers by adding modifying admixtures |
| A. P. Aleksandrov and M. S. Kitai | 367 | Photochemical mechanism of polyene growth in photodegraded PVC |
| A. I. Batotsyrenova, L. D. Radnaeva, D. M. Mognonov, A. A. Izyneev, B. V. Yerzh and V. V. Yunnikov | 375 | Synthesis and study of polybenzimidazolimides |
| S. I. Klenin, S. Ya. Lyubina, I. A. Baranovskaya, Ye. N. Bykova, B. P. Makogon and V. A. Molotkov | 381 | The change in the molecular properties of polyacrylamide and polyoxyethylene under the effect of hydrodynamic fields |
| S. V. Kostromina, Yu. A. Zubov, N. G. Shirina and Yu. Ya. Tomashpol'skii | 388 | A structural investigation of the sintering of raw polytetrafluoroethylene |
| V. A. Vilenskii, Yu. N. Lipatnikov, N. A. Lipatnikov and Yu. Yu. Kercha | 394 | Effect of incompatibility between oligomers on the structure and properties of segmented polyurethanes and polyurethane-ionomers |
| A. V. Yefimov, V. Yu. Shcherba, A. N. Ozerin, A. V. Rebrov and N. F. Bakeyev | 400 | Effect of the nature of liquid media on the craze structure formed during the deformation of polyethyleneterephthalate |

**1990** **VOLUME 32** **NUMBER 3**

| | | |
|---|---|---|
| A. V. Volkov, M. S. Arzhakov, V. V. Bonarev, A. L. Volynskii and N. F. Bakeyev | 407 | Antiplasticizing effect of hydroxyaromatic compounds on the mechanical properties of polycaproamide |
| O. V. Kolninov, V. V. Kolesnikova and V. K. Milinchuk | 413 | Photo-induced oxidation of poly-*N*-vinylcarbazole in the solid phase in presence of methane halides |
| V. A. Achelashvili, O. V. Mukbaniani, L. M. Khananashvili, V. Yu. Levin, N. G. Komalenkova and Ye. A. Chernyshev | 420 | Copolymers with 1,3-diorgano-1,3-disila-2-oxaindane fragments in the dimethyl siloxane chain |
| F. F. Niyazi, Yu. V. Chaiko and I. Ya. Kalontarov | 424 | Mechanism of stabilization of polycaproamide by *bis*-(naphthoylene benzimidazole) derivatives on photo-oxidation |
| A. V. Volkov, M. S. Arzhakov, A. L. Volynskii and N. F. Bakeyev | 428 | Mechanical properties and structure of polycaproamide modified by hydroxyaromatic compounds |
| Ye. A. Ragol'skaya, S. G. Prutchenko, S. A. Pavlov and E. N. Teleshov | 435 | Study of postradiation graft polymerization of acrylic and methacrylic acids to the copolymer of tetrafluoroethylene with vinylidene fluoride |
| A. A. Chichirov, A. V. Kuznetsov, Yu. M. Kargin, V. V. Klochkov, G. N. Marchenko and G. G. Garifzyanov | 441 | Equilibrium in the cellulose nitrates–nitric acid system |

| | | |
|---|---|---|
| N. A. Slovokhotova, S. M. Borzov, L. A. Ozerina, Yu. A. Zubov, F. F. Sukhov, I. O. Kuchkina, V. A. Aulov and N. F. Bakeyev | 447 | Infrared spectroscopic study of oriented polycaproamide after annealing under high pressure |
| I. Ya. Slonim, B. M. Arshava, F. G. Zhurina and T. K. Kaliya | 453 | NMR study of polycondensation of ethylene urea with glyoxal |
| A. V. Dmitrenko, A. M. Mesh and A. P. Agapitov | 463 | Aspects of graft co- and homo-polymerization of acrylic and methacrylic acids initiated from the volume of a solid polymer matrix |
| A. A. Tager, A. P. Safronov, S. V. Sharina and I. Yu. Galayev | 469 | Thermodynamics of aqueous solutions of polyvinylcaprolactam |
| L. S. Litvinova, Ye. S. Gankina, O. I. Kurenbin and B. G. Belen'kii | 475 | Features of exclusion thin-layer chromatography of polymers |
| A. V. Dmitrenko, A. M. Mesh and R. A. Zamyslov | 482 | Influence of variable valency metal salts on the initiation of graft polymerization from a solid peroxidized matrix |
| L. I. Manevich and N. G. Ryvkina | 489 | Soliton model of structural defects in a polyethylene crystal |
| N. S. Maizel', L. A. Zezina, Z. G. Zagorskaya, L. G. Kazaryan, I. M. Abramova, V. A. Vasil'eva, Ye. V. Maslova and V. A. Balabanova | 495 | Influence of composition and irradiation on the structure and mechanical properties of compositions based on polyamide-610 |
| L. D. Budovskaya, V. N. Ivanova, L. N. Oskar, S. V. Lukasov, Yu. G. Baklagina, A. V. Sidorovich and D. M. Nasledov | 502 | Structure of comb-like polyfluoroalkyl acrylates and methacrylates |
| V. G. Kulichikhin, M. Kh. Mirdzhanov, O. V. Vasileva, M. P. Zabugina, Ye. K. Borisenkova and I. V. Ekaeva | 506 | Viscosity and rubber-like properties of isotropic and liquid crystalline solutions of oxypropylcellulose in water |
| N. A. Kuraheva, L. I. Kuteinikova, T. V. Strelkova and A. A. Zhdanov | 513 | Synthesis of oligomethylsiloxanes containing phosphorus in the organic residue |
| E. A. Shmatok, O. V. Arshakova, L. M. Yarysheva, A. L. Volynskii and N. F. Bakeev | 518 | Porous structure parameters and deformation mechanism of isotactic polypropylene in active liquid media |
| V. R. Smirnov | 524 | Reversible inhibition of radical polymerization |
| O. V. Okatova, P. N. Lavrenko, H. Dautzenberg, B. N. Filipp and V. N. Tsvetkov | 533 | Polyelectrolyte effects in diffusion and viscosity phenomena in water–cadoxene solutions of carboxymethylcellulose |
| S. A. Yakubovskii, A. Kh. Bulai, T. I. Orekhova, A. I. Chernukhina, G. A. Gabrielyan, L. S. Galbraikh and I. Ya. Slonim | 539 | Synthesis and structure of ethylene oxide oligomers containing sulphonate groups |
| A. L. Rabinovich | 547 | A study of the local characteristics of the polymethylene chain in the region of a conformational transition |
| A. L. Rabinovich | 554 | A theoretical study of conformational transition in polymethylene by means of a continuous model |
| A. Yu. Bilibin, O. N. Piraner, S. S. Skorokhodov, L. Z. Vilenchik and E. E. Kever | 561 | A study of the polycondensation reaction between terephthaloyl-*bis*-(4-oxybenzoyl chloride) and decamethylene glycol |
| A. A. Gorbunov and A. M. Skvortsov | 567 | Separating power of gel permeation chromatography |
| A. Yu. Tarasyuk, V. M. Granchak and I. I. Dilung | 575 | Photopolymerization of butyl methacrylate in solutions, initiated by benzophenones in the presence of dimethylaminoethyl methacrylate |
| A. S. Khachaturov, V. P. Ivanova, A. S. Estrin, Ye. L. Abramenko and V. I. Valuev | 581 | The initiation mechanism of isoprene polymerization on a heterogeneous Ziegler system, as studied by a multiple pulse NMR method |
| M. U. Belyi, V. F. Grishachev, M. M. Dvoinenko and G. L. Kononchuk | 587 | Determination of thickness and of refractive index of material with "silver" cracks |
| V. K. Matveev, E. R. Klinshpont, V. A. Surnin, V. P. Kiryukhin and V. K. Milinchuk | 593 | On the effect of radiation–chemical and radiation–physical transformations in polytetrafluoroethylene on its dielectric properties |
| T. G. Monakhova, A. D. Gutkovich, L. I. Batueva, T. B. Zavarova, N. V. Kiseleva, V. G. Marinin, A. P. Savel'ev, V. V. Guzeev and Yu. M. Malinskii | 597 | Morphological study of impact-resistant composites based on polyvinylchloride |
| | | **Methods of investigation** |
| A. T. Todorovskii and S. Ya. Plotkin | 602 | Organization of a computer library for predicting spectra of poly(vinylpyridines) |
| | | **Chronicle** |
| | 607 | All-Union Conference "Radical Polymerization" |

| | | |
|---|---|---|
| S. A. Tsyganov | 610 | **Book Review**<br>"Chain Reactions—Historical Aspects" by N. M. Emanuel', G. E. Zaikov and V. A. Kritsman |



**1990** **VOLUME 32** **NUMBER 4**



| | | |
|---|---|---|
| V. V. Tsukruk, S. P. Oleinik, L. A. Shelkovnikova, V. V. Shilov and Yu. Yu. Kercha | 613 | Structural orderliness of ion-containing polyurethanes as a function of the length of the flexible block |
| S. I. Kluzina and A. I. Mikhailov | 619 | Oxidation of macroradicals in celluloses and cellulose nitrate |
| M. I. Byessonov, V. P. Volodin and I. V. Kenunen | 626 | Thermofluctuational nature of the elasticity moduli of polymers |
| N. A. Kalinina, O. V. Kallistov, N. P. Kuznetsov, T. V. Vatrakova, K. A. Romashkova, V. A. Gusinskaya and A. V. Sidorovich | 633 | Light scatter and the structure of moderately concentrated polyamido imide solutions and films |
| I. P. Kim, S. R. Allayarov, D. A. Gordon and I. M. Barkalov | 640 | Ultraviolet light-initiated polymerization of tetrafluoroethylene in solution of the radiolysed hexafluoropropylene dimer |
| G. G. Nikiforova, L. Z. Rogovina and G. L. Slonimskii | 645 | Swelling in solvents with variable activity as a method of simultaneous determination of the network structure and thermodynamic quality of a solvent |
| T. O. Osmanov, N. V. Kozlova and V. Ye. Markov | 650 | Polymerization of acrylamide in water–glycerol mixtures |
| I. I. Vointseva, A. P. Suprun, Ye. A. Askadskaya, T. L. Lebedeva and A. I. Prokof'ev | 655 | Comparison of the reactivity of polytrichlorobutadiene on interaction with high and low molecular mass amines |
| A. P. Libartsev and N. P. Vorontsov-Vyel'yaminov | 660 | Monte Carlo modelling of flexible polyelectrolytes |
| A. A. Tager, M. V. Tsilipotkina, L. K. Kolmakova, E. V. Morozov, V. M. Balakin, T. S. Vydrina and Ye. V. Medvedeva | 666 | Influence of the length of the molecule of crosslinking agent and its nature on the value of the parameters of the porous structure of polymeric sorbents |
| D. Kh. Khalikov, Z. B. Sharifova and I. N. Grigina | 671 | Reactivity of monomers of ethynylpiperidol derivatives |
| V. A. Kuznetova, A. Ya. Sorokin, M. I. Gandel'sman and V. P. Budtov | 676 | Swelling of crosslinked polyvinyl alcohol in solvents of varied quality |
| S. V. Panyukov and S. I. Kuchanov | 682 | Scaling pattern of swelling of polymer networks |
| G. A. Polotskaya, L. D. Turkova, Yu. P. Kuznetsov and V. V. Nesterov | 690 | Gas permeability of cellulose diacetate membranes plasticized with polyethylene glycol |
| Yu. R. Kolesnik, V. V. Teslenko and A. P. Grekov | 695 | Poly-*N*,*N*′-1,3-*bis*-(methylene)tetramethyldisiloxy-4,4′-dipyridinium dihalides |
| S. R. Allayarov, I. P. Kim, I. M. Barkalov and A. N. Il'in | 700 | Role of radicals, long-lived in a liquid, in the polymerization of fluoroolefins |
| N. A. Yerina, V. V. Potapov, L. V. Kompaniets, M. I. Knunyants, V. I. Kartsovnik, E. V. Prut and N. S. Yenikolopyan | 704 | Mechanism of the elastic-strain grinding of isotactic polypropylene |
| F. F. Nurgalieva, Z. G. Sagdieva and R. S. Tilaev | 710 | Complex-forming properties of polymethacrylic acid grafted to cellulose acetate on complexing with polyvinylpyridine *N*-oxide and copper ions |
| Zh. G. Gulyaeva, I. V. Aldoshina, M. F. Zansokhova, V. B. Rogacheva, A. B. Zezin and V. A. Kabanov | 714 | Phase separation in water–salt solutions of polyelectrolyte complexes |
| V. S. Pshezhetskii, A. A. Rakhnyanskaya, I. M. Gaponenko and Yu. E. Nalbandyan | 722 | A differential scanning calorimetry study of polyvinyl alcohol |
| Yu. K. Godovskii, I. A. Volegova, A. V. Rebrov, L. A. Novinskaya, S. B. Dolgoplosk and I. G. Kolokoltseva | 726 | Mesomorphic block copolymers. Formation of oriented mesophase in a polydiethylsiloxane block on uniaxial stretching of block copolymers |
| S. G. Karpova, A. V. Russak, A. A. Popov and G. E. Zaikov | 732 | Change in the structure and properties of high pressure polyethylene during ozone oxidation. Effect of orientation and strain |
| N. M. Bolbit and Yu. N. Korneev | 737 | Radiation–chemical cross-linking in block-copolymers with a variable inter-phase layer |
| M. R. Brazt, Ye. Ye. Skorikova, G. A. Vikhoreva and L. S. Gal'braikh | 744 | Properties of dilute solutions of the carboxymethyl ether of chitosan |
| Yu. Ya. Gotlib, A. A. Darinskii, A. V. Lyulin and I. M. Neyelov | 749 | Dynamics of polymeric layer structures |
| V. V. Nesterov, Ye. V. Chubarova, B. G. Belen'kii, Z. A. Kuklin, B. V. Perov and Ye. G. Sentyurin | 757 | Connection between the molecular parameters of an organic polymethylmethacrylate glass and its physico-mechanical and service properties |

V. P. Budtov, N. N. Morgunov and A. I. Sukhov — 762 Ionic mobility in sulphofluorinated ion-exchange membranes

A. V. Yefimov, V. Yu. Shcherba, A. N. Ozerin, A. V. Rebrov and N. F. Bakeyev — 769 The structure of crazing formed as a result of deformation in polyethyleneterephthalate at various temperatures

V. S. Derinovskii, Ye. R. Yarda, I. N. Zakirov, V. F. Frolov, A. G. Pozamontir and M. P. Myasnikova — 776 Molecular motion and nuclear magnetic relaxation in filled poly(vinyl acetate)

I. L. Dubnikova, V. A. Topolkaraev, T. V. Paramzina, E. V. Gorokhova and F. S. D'yachkovskii — 782 Plasticity of particle-filled polypropylene

D. S. Sanditov and G. M. Bartenev — 789 Character of the pressure dependence of glass-transition temperature

L. A. Shirokova, S. A. Sleptsova and Yu. B. Amerik — 796 Photolysis of sulphur-containing polymers

A. V. Antonov, R. M. Gitina, Ye. D. Rogozhkina, A. L. Izyumnikov, I. L. Zhuravlyeva, Yu. S. Bogachev and S. N. Novikov — 801 Synthesis and properties of brominated polystyrenes

S. V. Golubev, Z. A. Tikhonova and Ye. I. Shulakova — 807 Effect of dissolving capacity of medium on ultrasound synthesis and properties of organic dispersions of poly(methyl methacrylate)

G. A. Otradina, L. Ya. Madorskaya, V. M. Belyayev, K. A. Vylegzhanina, O. K. Belomutskaya and T. V. Kornilova — 812 Effect of conditions of synthesis on molecular mass distribution and molecular structure of poly(vinylidene fluoride)

**Methods of investigation**

S. Kh. Fakirov — 818 Reorganization processes proceeding in a microcalorimeter (How reliable is the DSC method?)

V. M. Ryabikova, A. N. Zigel' and G. S. Popova — 822 Determination by pyrolysis gas chromatography of the composition of materials based on styrene copolymers and of blends ABS–polycarbonate

**Chronicle**

829 32nd Macromolecular Microsymposium—Polymer Blends



1990 VOLUME 32 NUMBER 5



I. N. Topchiyeva — 833 Synthesis of biologically active polyethylene glycol derivatives. A review

I. A. Nyrkova, A. R. Khokhlov and Ye. Yu. Kramarenko — 852 Possibility of microphase separation in polyelectrolyte systems

V. V. Yegorov, Ye. V. Batrakova and V. P. Zubov — 861 Radical polymerization in spherical micelles of unsaturated alkylammonium halides in water

V. V. Kopeikin and V. A. Shevelev — 867 Nuclear magnetic relaxation study of the binding of water by polyelectrolyte sodium dodecylsulphate complexes

Ye. G. Sangina, S. A. Paplov and M. A. Bruk — 872 Experimental study of the processes of linear and quadratic chain termination of radical polymerization on the surface of solids

A. I. Bol'shakov, D. A. Gordon, A. I. Mikhailov and I. M. Barkalov — 878 Low temperature polymerization and copolymerization of acetylenic monomers in vitrifying organic solvents

V. V. Yegorov, S. Yu. Zaitsev, A. A. Klyamkin and V. P. Zubov — 884 Radical polymerization of cationic surfactant monomers in monolayers at the water–nitrogen boundary

N. N. Gorobyei, V. A. Petrov and V. D. Savel'ev — 889 Kinetics of heating and the durability of elastomers on cyclical loading

A. A. Morkur'eva, G. A. Medvedev, T. M. Birshtein and Yu. Ya. Gotlib — 896 Theory of the transition of two-dimensional systems to the orientationally ordered state

V. R. Ryabina, S. G. Starodubtsev and A. R. Khokhlov — 903 Interaction of polyelectrolyte networks with oppositely charged micelle-forming surfactants

V. P. Sichkar', Yu. M. Gordeyev, O. S. Aleksanina, V. K. Matveyev and V. A. Chevychelov — 910 Influence of physical structure on radiation change in the electrophysical properties of polyethylene

Yu. S. Lipatov, V. N. Chornaya, T. T. Todosiichuk and T. S. Khramova — 915 Adsorption of polymer mixtures from dilute and semidilute solutions

S. G. Starodubtsev, V. R. Ryabina, Ye. Ye. Makhaeva and A. M. Sokovikov — 922 Hydrogels of copolymers of methacrylic esters with acrylamide and 1-vinyl-2-pyrrolidone

I. G. Krasnoselskaya, L. D. Turkova, I. A. Baranovskaya, S. I. Klenin and B. L. Erusalimskii — 928 Synthesis and study of grafted polymers formed on interaction of polyacrylonitrile "live" chains with polyvinylpyridines

L. V. Sokolova — 933 Ordered formations of flexible chain polymers

B. M. Zuev, O. S. Arkhireev and A. P. Filippova — 941 The initial stage in the fracture of stressed dense-cross-linked polymer systems

| | | |
|---|---|---|
| V. G. Zaikin, R. G. Mardanov, V. I. Kleiner and B. A. Krentsel | 948 | Pyrolytic chromato-mass spectrometry of polyvinyl cyclohexane |
| Yu. Yu. Keercha, S. P. Oleinik, L. A. Shelkovnikova, L. I. Dashevskii and V. A. Bogdanovich | 955 | Special features of the structure and properties of segmented oligodiene polyurethane elastomers with rigid segments of different structure |
| R. I. Tashmukhamedov, V. A. Li, M. M. Tuganov and S. Sh. Rashidova | 960 | ESR study of copper complexes of copolymers of *N*-vinylpyrrolidone with amino acid residues |
| V. K. Turkov, M. I. Koryakina, N. A. Lipatnikov, A. Ye. Nesterov and A. Ye. Grishchenko | 965 | Optical properties and structure of the surface layers of polyesterurethanes |
| N. A. Nikonorova, T. I. Borisova, L. L. Burshtein, Ya. S. Freidzon and V. P. Shibaev | 970 | Dielectric relaxation and the mobility of mesogenic groups in cholesterol-containing liquid crystalline polymers containing spacers of various lengths |
| M. G. Zaitsev and S. Ya. Varukhin | 977 | Statistical theory of the structure of amorphous regions in oriented partially crystalline polymers |
| A. T. Kalashnik , G. Ya. Rudinskaya, S. P. Papkov, L. K. Golova, N. P. Kruchinin, N. V. Vasil'eva and D. R. Tur | 987 | Thermal properties of poly[*bis*(trifluoroethoxy)phosphazene] |
| E. G. Dubyaga, A. A. Zaplatin and A. I. Demina | 991 | Microporous films from polyurethane-based thixotropic composites. Effect of the content of precipitant in the composite and in the precipitation mixture |
| L. N. Vladykin, V. P. Budtov and V. D. Petrova | 997 | Gelation proceeding during synthesis of butylrubber in a hydrocarbon solvent |
| B. V. Lebedev, V. G. Vasil'ev and E. G. Kiparisova | 1003 | Thermodynamics of ethanal, of its polymerization in bulk and of polyethanal between 0 and 330 K |
| B. V. Lebedev, N. N. Smirnova, V. G. Vasil'ev, Ye. N. Kropacheva and L. A. Myagkova | 1009 | Thermodynamics of an alternating ethylene–butadiene copolymer in the range of 0–333 K |
| S. V. Bushin, K. P. Smirnov, L. N. Andreeva, Ye. V. Belyaeva, A. Yu. Bilibin, A. R. Stepanova and V. N. Tsvetkov | 1015 | Hydrodynamic and conformational properties of a phenyl-substituted *para*-aromatic polyester in dioxane and dichloroacetic acid |
| V. D. Bolikhova, G. M. Gorbatsevich, A. N. Drobinin, S. S. Fedeev and V. D. Rumyantsev | 1021 | Carboxylic acids as finishing agents for aluminium oxide trihydrate in polyolefin compositions |
| G. A. Kichigina, D. P. Kiryukhin, A. M. Zanin and I. M. Barkalov | 1027 | Auto-wave regime of low-temperature radiation polymerization of polycyclopentadiene |
| V. P. Budtov, T. V. Budtova and S. Ya. Frenkel' | 1033 | Swelling of polyelectrolyte chains on change of solution concentration |
| Yu. G. Baklagina, A. V. Sidorovich, V. K. Lavrent'ev, V. V. Krivobokov, V. P. Sklizkova, N. D. Kozhurnikova, V. V. Kudryavtsev, N. V. Lukasheva, V. M. Denisov and V. E. Smirnova | 1040 | A model of supermolecular structure of stiff-chain polyimide copolymers and composites |
| | | **Chronicle** |
| | 1047 | 1st All-American Conference on Rheology |
| | 1051 | Erratum |

**1990** **VOLUME 32** **NUMBER 6**

| | | |
|---|---|---|
| N. A. Platé, Ye. M. Antipov, V. V. Teplyakov, V. S. Khotimskii and Yu. P. Yampol'skii | 1053 | Polysilicon hydrocarbons: synthesis, structure and gas separating properties: review |
| T. V. Nikolayeva, A. Ye. Kulikova, I. N. Vishnevskaya, I. N. Razinskaya, A. D. Gutkovich and V. L. Yermolayeva | 1069 | Preparation of graft acrylic copolymers with a heterophase structure by latex-suspension polymerization |
| V. A. Zubov, W. Wolf and V. B. Konsulov | 1074 | Synthesis and microstructure of organotin polymers |
| A. G. Azizov, F. A. Nasirov, R. K. Gazhiyev R. Kh. Mamedov and F. M. Novruzova | 1080 | Correlation between molecular mass and microstructure of polybutadiene prepared in cobalt-containing catalytic systems |
| V. Yu. Barinov | 1086 | Orientation of polyethylene in the course of strain recrystallization |
| B. G. Kulichikhin, Ye. Yu. Polushkin, I. L. Parsamyan, I. A. Litvinov, P. I. Khokhlov, A. V. Raskina, A. V. Volokhina and N. A. Platé | 1093 | Phase heterogeneity of melts of a liquid crystalline copolyester and its effect on the rheology and also the structure and mechanical properties of extrudates |

| | | |
|---|---|---|
| A. L. Rusanov, T. N. Kolosova, R. M. Aseyeva and N. Z. Makharashvili | 1100 | Aspects of the thermal and combustible properties of halogen-containing aromatic polyamides |
| T. I. Usmanov, U. G. Karimova and A. Sarymsakov | 1105 | $^{13}C$ NMR study of the distribution of the substituents in carboxymethyl ethers of polysaccharides |
| O. M. Voskresenskaya, Ye. M. Gotlib, Yu. A. Yefremov, D. R. Sharafutdinova, M. G. Karp, L. V. Verizhnikov, A. G. Liakumovich and B. Ye. Ivanov | 1113 | Study of the reaction of oligomerization of phenylglycidyl ether on exposure to 2-dimethylaminomethylphenol at raised temperatures |
| G. M. Pavlov, Ye. F. Panarin, Ye. V. Korneyeva, K. V. Kurochkin, V. Ye. Baikov and V. N. Ushakova | 1119 | Hydrodynamic properties of molecules of polyvinylpyrrolidone as shown by sedimentation-diffusion analysis and viscometry |
| A. V. Tkachev, V. A. Tverskoi, Ye. N. Smirnova, V. P. Zubov and A. M. Andriyevskii | 1127 | Acylation of copolymers of 2-hydroxyethyl methacrylate with alkyl-methacrylates by the acid chloride of 2,7-dinitro-9-fluorenone-4-carboxylic acid |
| Yu. A. Zubov, V. S. Tikhomirov, S. V. Chvalun, A. A. Turetskii and N. F. Bakeev | 1132 | Effect of irradiation on the structure of highly oriented polyethylene |
| P. N. Lavrenko, O. V. Okatova, V. V. Korshak, S. V. Vinogradova, A. L. Rusanov and I. I. Ponomarev | 1139 | Hydrodynamic properties and conformational characteristics of poly-naphthoyleneimidobenzimidazole in sulphuric acid |
| Ye. G. Dubyaga, A. A. Zaplatin and A. I. Demina | 1147 | Microporous films from thixotropic polyesterurethane compositions. Effect of preliminary structuring and surfactants on film properties |
| S. N. Ivanishchuk, N. A. Bordyuk, Yu. S. Lipatov and B. S. Kolupaev | 1155 | Viscoelastic and thermal properties of transitional layers of polyvinyl chloride systems modified with polyvinyl butyryl |
| N. A. Bordyuk, O. M. Voloshin, B. P. Demyanyuk, Yu. S. Lipatov and B. S. Kolupaev | 1163 | Thermophysical properties of modified polyvinyl chloride |
| V. V. Shilov, G. P. Andrianova, S. I. Pakhomov, M. V. Pustovoit, Yu. P. Gomza and M. G. Felin | 1169 | Effect of conditions of treating linear polyethylene on the character of the microporous structure formed |
| Ye. V. Stovbun, V. P. Lodygina and S. M. Baturin | 1175 | Synthesis and properties of prepolymers based on oligobutadienediols of different molecular mass and 2,4-toluylene diisocyanate |
| N. N. Tokareva and V. R. Duflyot | 1181 | Polymerization of vinyl monomers in three-dimensional networks |
| O. V. Pavlova, S. M. Kireyeva, I. I. Romantsova and Yu. M. Sivergin | 1187 | Intramolecular cyclization during the radical polymerization of diallyl monomers |
| M. I. Fastovskaya, V. K. Latov, V. M. Belikov, Ye. F. Titova and Ye. M. Belavtseva | 1192 | Synthetic macromolecular catalysts with proteolytic activity. Structure of the catalytic and sorption regions of the catalyst |
| K. K. Kalnin'sh. A. D. Kutsenko, Yu. E. Kirsh, N. A. Barba and I. D. Korsh | 1200 | Bipolar ions and $\sigma$-complexes in the ionic polymerization of nitrostyrenes |
| A. N. Semenov and A. V. Subbotin | 1208 | Orientation effects in DNA during gel-electrophoresis |
| Ye. A. Shmatok, S. V. Kalinina, O. V. Arzhakova, L. M. Yaysheva, A. L. Volynskii and N. F. Bakeyev | 1215 | Effect of the initial morphology of isotactic polypropylene on the characteristics of its structural rearrangements during extension in liquid media |
| G. V. Leplyanin, V. N. Salimgareeva, N. S. Sannikova, A. N. Chuvyrov, Yu. A. Lebedev and P. G. Valyamova | 1223 | On the synthesis of polyacetylene by the interphase dehydrochlorination of polyvinyl chloride |
| A. L. Rabinovich | 1230 | Application of the continuum model in studies of the local structural properties and shape of 1,4-*cis*-polybutadiene and poly-*cis*-propenylene chains in solutions |
| E. R. Radamshina, V. A. Grigor'eva, V. V. Komratova, A. I. Kuzaev and S. M. Baturin | 1237 | Study of the polycyclotrimerization of 1,6-hexamethylenediisocyanate and gel permeation chromatographic analysis of the products |
| A. P. Donya, O. I. Kachurin, Yu. B. Vysotskii and V. M. Murav'eva | 1242 | Direct polar conjugation in radical copolymerization of styrene with substituted styrenes |
| S. V. Panyukov | 1247 | The ferromagnetic analogy applied to polymers with a fixed chain length distribution |
| S. G. Khodzhaev and R. Mushraipov | 1254 | $^{13}C$ NMR study of the microstructure of *N*-vinylpyrrolidone–acrylic acid copolymers |
| L. M. Bronshtein, Yu. A. Kabachii P. M. Valetskii, D. V. Zagorevskii, A. I. Kuzaev, A. V. Kozinkin, V. G. Vlasenko, I. A. Dubovtsev and S. V. Vinogradova | 1263 | Synthesis and properties of iron arenecyclopentadienyl cationic complexes prepared from phenylene- and naphthylenecarborane oligomers |
| T. L. Petrova, A. I. Smirnov, L. N. Sukhova, V. P. Zubov and V. B. Mantsivoda | 1268 | Kinetics and mechanism of alternating copolymerization of vinylphenyl ether with diethyl maleate |

| | | |
|---|---|---|
| Al. Al. Byerlin and L. K. Pakhomova | 1275 | Polymeric matrices for high-strength reinforced composites. Review |
| A. V. Kryzhanovskii and S. S. Pvanchev | 1312 | Synthesis of linear polyethylene on supported Ziegler–Natta catalysts. Review |
| Ye. P. Ageyev, N. L. Strusovskaya and N. N. Matushkina | 1329 | Transmembrane transfer of liquids complicated by crystallization of the polymer |
| V. I. Fel'dman, A. A. Zezin, V. S. Tikhomirov and F. F. Sukhov | 1334 | Formation and reactions of paramagnetic particles in irradiated polystyrene and butadiene–styrene block copolymers and model systems |
| Yu. Ya. Gotlib, N. N. Kozlovich and I. S. Milevskaya | 1340 | Conformational calculation of the rotational and vibratory motions of polymellitimide cycles of the polyimide of poly-*p*-phenylene pyromellitimide. Microdomain with free boundaries |
| R. N. Mishayeva, N. P. Kuzetsova, O. A. Pisarev and G. V. Samsonov | 1345 | Aspects of the ionization of carboxymethyl Sephadex and their influence on the binding of haemoglobin |
| T. V. Monakhova, T. A. Bogayevskaya and Yu. A. Shlyapnikov | 1349 | Patterns of the anti-oxidative action of phenothiazine |
| A. A. Surgaryan, R. A. Arakelyan, N. A. Durgaryan and K. S. Shaginyan | 1353 | Synthesis and study of some electron-acceptor polymers |
| V. V. Zapol'skikh, V. S. Kolosnitsyn, A. V. Kurochkin and G. V. Leplyanin | 1359 | The polyelectrolyte complex of $LiClO_4$ based on polypiperylene sulphone. Its preparation and properties |
| R. M. Bartenev, S. V. Baglyuk and V. V. Tulinova | 1364 | Microstructure of the polymer chains and relaxational properties of the polybutadienes |
| P. P. Khlyabich, A. G. Sirota and V. P. Budtov | 1372 | Effect of chemical structure and orientation on physicomechanical properties of fluoroplasts under the action of ionizing radiation |
| V. N. Cheshchevoi, V. A. Polushkin, A. I. Kuzaev, G. A. Mironsteva and V. A. Diner | 1378 | Growth limitation features of polymerization on kaolinite acid centres |
| Yu. Ya. Gotlieb and A. V. Maksimov | 1383 | Inter-chain orientational order in three-dimensional layered domains |
| O. V. Vasil'eva, Yu. I. Akulin, P. I. Khokhlov, M. P. Zagugina, B. Kh. Strelets and V. G. Kulichikhin | 1389 | Evolution of the rheological properties and structure of a system during copolycondensation of ethylene terephthalate with *p*-hydroxybenzoic acid |
| V. V. Kurashev, R. B. Shliefman, S. V. Tsutsuran, A. A. Askadskii and K. A. Bychko | 1395 | Use of *N*-acryloylcaprolactam as an activator in the anionic polymerization of caprolactam |
| M. T. Bryk, R. R. Nigmatullin, I. D. Atamanenko, Yu. P. Gomza and V. V. Shilov | 1401 | Porous structure of cellulose acetate ultrafiltration membranes of various degrees of saponification |
| Ye. M. Antipov, Ye. V. Popova, N. P. Krasnikova, G. P. Belov and A. A. Buniyat-Zade | 1410 | Effect of distortions of the linear character of the polyethylene chain on its structure and physicomechanical properties |
| Ye. M. Antipov, Ye. V. Popova, E. I. Frenkin, Yu. Ya. Podolskii and A. A. Buniyat-Zade | 1418 | Structural features of linear polyethylene of intermediate density |
| S. V. Bronnikov, V. I. Vettegren, N. S. Kalbina, L. N. Korzhavin and S. Ya. Frenkel | 1427 | Description of long-term stress relaxation in stretching oriented polymers |
| Ye. K. Borisenkova, D. R. Tur, I. A. Litvinov, Ye. M. Antipov, V. G. Kulichikhin and N. A. Plate | 1432 | Structural-orientational processes in the capillary flow of a melt of polyethylene–poly-*bis*-trifluoroethoxyphosphazene blends |
| V. A. Vilenskii, Yu. Yu. Kercha, V. I. Shtompel, S. A. Sukhorukova, N. I. Levchenko and A. P. Grekov | 1438 | Effect of the degree of neutralization of carboxyl groups on the change in structure and properties of anionomer polyurethanes |
| A. A. Askadskii, G. V. Surov, V. A. Pankratov, Ts. M. Frenkel', A. A. Zhdanov, L. I. Makarova, A. S. Marshalkovich and L. G. Radchenko | 1444 | Mechanical properties of polymer glasses with various moduli |
| A. A. Askadskii, G. V. Surov, V. A. Pankratov, Ts. M. Frenkel', L. I. Makarova, A. A. Zhdanov, I. V. Blagodatskikh and A. V. Pastukhov | 1454 | Synthesis and properties of carbofunctional silicon–organic diols, macrodiisocyanates and of polymer networks prepared from them |
| B. Z. Volchek, D. A. Medvedeva, A. V. Purkina and S. V. Shilov | 1462 | Features of the orientation of thermotropic liquid crystalline systems |
| A. Sh. Cherdabaev, K. M. Gibov, L. N. Shapovalova and N. V. Bachilova | 1468 | Structure of sulphur-containing coke foam and its effect on flammability of filled polymers |
| S. S. Demchenko, V. P. Privalko, N. A. Rekhteta, I. A. Shalabanova and A. F. Gurdzhi | 1474 | Structure and thermophysical properties of poly(vinyl chloride) plastisols |

| | | |
|---|---|---|
| V. P. Shibaev, I. V. Yakovlev, S. G. Kostromin, S. A. Ivanov and T. I. Zverkova | 1478 | Specific features of optical information storage in oriented films of liquid crystalline comb-like polymers by means of selective optical excitation |
| Yu. V. Zelenev and V. A. Ivanovskii | 1486 | Thermo-electrofluctuation method for studying polymer properties |
| | 1491 | Viktor Nikolaevich Tsvetkov |



**1990** **VOLUME 32** **NUMBER 8**



| | | |
|---|---|---|
| L. I. Komarova, S. N. Salazkin, Ya. S. Vygodskii and S. V. Vinogradova | 1493 | New polymers and polymeric systems based on epoxide oligomers and polyheteroarylenes. Review |
| A. V. Rebrov, A. N. Ozerin, D. I. Svergun, L. P. Bobrova and N. F. Bakeyev | 1515 | Small angle X-ray scatter study of the aggregation of macromolecules of the perfluorosulphonated ionomer in solution |
| V. P. Privalko, Ye. S. Khayenko, G. I. Khmelenko, V. Ya. Veselov, S. G. Korvyakov and Yu. V. Savel'ev | 1521 | Heat capacity of crown-containing polyetherurethane ureas |
| S. M. Salistyi | 1527 | Oxidative copolymerization of vinyl monomers with fumarates |
| D. N. Yemel'yanov, V. A. Myachev and V. Ye. Dreval' | 1532 | Glass transition, compatibility and viscosity of blends of polymethylmethacrylate with its copolymers |
| N. V. Smirnova, A. Ye. Rubtsov, V. V. Matveyev, G. A. Gabriyelyan, A. Ye. Chalykh and L. S. Gal'braikh | 1539 | Structure of graft copolymers of polycaproamide with polymethacrylic acid |
| G. M. Bartenev, V. I. Dakin, M. V. Lasarenko and N. A. Sveitskii | 1546 | Molecular mobility and the relaxational properties of polyethylene oxide |
| A. I. Vol'shakov, S. I. Kuzina and I. M. Barkalov | 1554 | Study of the polymerization capacity of styrene at low temperatures |
| A. M. Yel'yashevich and I. Ya. Ladyzhinskii | 1560 | Swelling of branched polymers and polymeric gels synthesized close to the gel point |
| V. P. Privalko, N. N. Laskovenko, V. V. Korskanov and V. V. Vorona | 1566 | Phase morphology and thermoelastic properties of perchlorovinyl–polyurethane compositions |
| V. R. Epstein and A. I. Sherle | 1575 | Oligophthalocyanines and polymers based on them: synthesis, structure, and thermal stability |
| R. R. Nigmatullin, M. T. Bryk and I. D. Atamanenko | 1583 | Alkaline saponification and its effect on the properties of cellulose acetate ultrafiltration membranes |
| K. A. Verkhovskaya and V. V. Kochervinskii | 1589 | Radiation effects in polymers of fluorine-containing ferroelectrics |
| Ye. D. Popova, A. Ye. Chalykh and A. N. Popov | 1596 | Hierarchical structure of cellulose nitrate films and its effect on sorption properties |
| M. M. Teplyakov, A. I. Kovalev, I. A. Khotina and V. V. Korshak | 1604 | Synthesis of polymers based on ethyl ketals of 4,4′-diacetyldiphenyl oxide and 5-acetylacenaphthene and their dehydrogenation with 2,3-dichloro-5,6-dicyan-1,4-benzoquinone |
| A. N. Semenov and A. V. Subbotin | 1612 | Anomalous mobility of DNA macromolecules during gel-electrophoresis |
| M. G. Yevstatiyev and S. Kh. Fakirov | 1619 | Polyethyleneterephthalate with improved mechanical properties |
| T. M. Birshtein, Yu. V. Lyatskaya and Ye. B. Zhulina | 1626 | Layers of polydisperse chains grafted to an impermeable plane surface |
| Yu. A. Alumyan, B. M. Ginzburg and A. A. Shepelevskii | 1636 | Investigation of the texture and structural changes in liquid-crystal solutions of poly-$\gamma$-benzyl-L-glutamate under the effect of electric fields in a sandwich-type cell |
| L. V. Dronova, A. V. Kokareva, T. M. Karaseva, Ye. V. Davydova and N. M. Kabanov | 1643 | The formation of network structures in polyepoxides with various filler contents ($\gamma$-iron oxide) |
| Ye. G. Erenburg, G. G. Kartasheva, N. M. Guseva and V. D. Lobkov | 1649 | A study of the molecular structure of the copolymerization product of styrene with polydimethyl(methylvinyl)siloxane |
| L. I. Klushin and A. M. Skvortsov | 1655 | Analogy between a macromolecule in a hydrodynamic field and in a polymeric monolayer |
| S. I. Kuznetsov and G. V. Leplyanin | 1663 | Regulation of the inhibiting activity of elemental sulphur in radical polymerization of methyl methacrylate |
| A. Ye. Teishev and A. Ya. Malkin | 1669 | On the relation between relaxation and creep curves of polymers in the range of linear viscoelasticity |
| L. N. Andreeva, S. V. Bushin, A. I. Mashoshin, M. A. Bezrukova, V. N. Tsvetkov, A. Yu. Bilibin and S. S. Skorokhodov | 1677 | Hydrodynamic, dynamo-optical and conformational properties of a *para*-aromatic polyester containing a small amount of *meta*-phenylene moiety |
| P. Kratochvíl and U. W. Suter | 1683 | International Union of Pure and Applied Chemistry: Macromolecular Division Commission on Macromolecular Nomenclature. Definitions of terms relating to individual macromolecules, their assemblies, and dilute polymer solutions |

**Methods of investigation**

E. E. Dmitrieva, V. V. Gur'yanova, Yu. A. Khrakovskaya, O. M. Karan'yan, G. P. Lyubimtseva, A. A. Dukor and A. V. Pavlov — 1705 — Application of gel permeation chromatography to the determination of molecular mass distribution of aliphatic polyamides

**1990** **VOLUME 32** **NUMBER 9**

1709 — Some promising trends in current polymer science

A. V. Vannikov and A. D. Grishina — 1725 — Photosensitive polymers: current status, problems and prospects. Review

S. S. Sheiko, O. B. Salamatina, S. N. Rudnev and E. F. Oleinik — 1759 — Mechanism of plastic strain of glassy polymers. Amorphous polyethylene terephthalate

S. V. Khitrin, S. I. Bagayev and N. V. Kolotilova — 1768 — Conversions of polymethyl(meth)acrylates on exposure to amino-alcohols and amines and the influence of the conditions of the interaction on the composition of the copolymers

R. M. Sultanayev, M. V. Usol'tsev and V. I. Kiselev — 1775 — Determination of the kinetic parameters of the curing reaction by dielectric spectroscopy

V. V. Zuyev, L. A. Shibayev, N. G. Stepanov, N. A. Solovskaya and A. V. Buryko — 1780 — Electron cause of the evenness effect and its manifestation in the thermostability of a series of poly-4-*n*-alkylstyrenes

T. I. Usmanov and U. G. Karimova — 1785 — NMR spectroscopy study of the distribution of substituents in polysaccharide acetates

L. G. Khamidova, G. S. Zhdanov and V. K. Milinchuk — 1796 — Photoradiation-induced postpolymerization of a monomer in polymethyl methacrylate

A. V. Lezov, N. V. Tsvetkov and A. A. Trusov — 1801 — Electrical birefringence in solutions of *p*-aromatic polyamides

A. V. Antonov, R. M. Gitina and S. N. Novikov — 1809 — The action of high-molecular bromine-containing fire-retardants in styrene plastics

K. S. Minsker, M. M. Karpasas and A. M. Elyashevich — 1816 — A Monte Carlo study of the formation of Ziegler catalyst active centres

N. P. Shapkin, V. I. Nedelkin, G. M. Svistunov and V. A. Sergeev — 1824 — Synthesis and properties of polysulphides based on trifunctional metal $\beta$-diketonates

V. S. Zamiralov, S. G. Kiryushkin, I. G. Kitina, I. M. Piskarev, V. K. Skubin and G. S. Kharitonova — 1832 — Change of mechanical properties of inhibited polyethylene samples during oxidation, initiated by X-ray radiation

L. F. Komolova, V. V. Kireev, I. V. Razumovskaya, Yu. L. Chichagova, N. F. Shevtsova and M. A. Eryan — 1838 — Features of the structurization appearing in oligo- and polymethylsilsesquioxanes in the course of thermooxidative degradation

A. I. Dolinnyi — 1844 — Phase equilibria in thin layers of flexible polymer solutions

A. I. Dolinnyi — 1854 — Displacement of the critical point in thin layers of flexible polymer solutions

L. S. Boguslavskaya, B. A. Barabashina, I. Yu. Panteleeva and A. V. Kartashov — 1862 — Synthesis and properties of phenyl-$\alpha$-fluoroacrylate polyperoxide

L. A. Nekhaeva, V. L. Kleiner, B. A. Krentsel', Ye. B. Uvarova, N. N. Korneev and I. M. Khrapova — 1868 — Polymerization of ethylene and its copolymerization with vinylcyclohexane using homogeneous catalysts based on zirconocene–methylalumoxane systems

E. B. Brun and A. O. Malakhov — 1873 — Kinetics and statistics of irreversible intramolecular reactions in polymer chains with asymmetric substitution effect

| | | |
|---|---|---|
| A. O. Malakhov and E. B. Brun | 1883 | Generation of polyconjugated sequences in polymer chains by an elimination reaction |
| A. O. Malakhov and E. B. Brun | 1892 | Substitution effect accompanying elimination reactions in vinyl polymers |
| Yu. M. Pashunin and A. I. Pertsin | 1899 | Interaction of atomic copper with the surface of polyimide and polytetrafluoroethylene |
| N. N. Kozlovich, A. S. Beriketov, G. A. Davydov, N. V. Lukasheva, I. S. Milevskaya and Yu. Ya. Gotlib | 1905 | Conformational calculation of the conditions of internal rotation and torsional vibrations of cyclic groups in poly(4,4′-oxydiphenylene)-pyromellitimide |
| A. F. Yefremkin, V. B. Ivanov, A. P. Romanyuk and V. V. Shibanov | 1911 | Structural features of diene–styrene thermoelastoplasts modified with monomers |
| I. S. Tyukova, A. A. Tager, E. V. Morozov and Yu. G. Lavrikova | 1918 | Thermodynamic parameters of the interaction of cellulose nitrate with solvents, obtained by the method of reverse gas chromatography |
| Yu. R. Kolesnik, A. V. Goloshchapov, I. V. Koval', V. V. Teslenko and A. P. Grekov | 1922 | Organosilicon dipyridylium complexities |



**1990 VOLUME 32 NUMBER 10**



| | | |
|---|---|---|
| F. S. D'Yachkovskii | 1929 | Current aspects of stereospecific polymerization of olefins—review |
| A. A. Tager | 1939 | Solubility of crystalline substances in polymers |
| V. L. Maksimov | 1942 | Link between the effective and true energy parameters of activated processes in polymers |
| M. K. Pakter, V. A. Byeloshenko, B. I. Byeresnev, T. P. Zaika, L. A. Abdrakhmanova and N. I. Byzai | 1949 | Effect of hydrostatic treatment on the formation of the structural organization of dense network epoxy polymers |
| M. K. Kurbanaliyev, R. T. Kadyrov and V. Ye. Dreval' | 1957 | Strain–strength behaviour of polybutylmethacrylate on uniaxial stretching in liquid media in the temperature regions above and below the glass transition temperature |
| S. V. Bushin, M. A. Bezrukova, E. P. Astapenko, S. A. Didenko, A. K. Khripunov and V. N. Tsvetkov | 1964 | Hydrodynamic characteristics and equilibrium rigidity of cellulose acetobenzoate molecules |
| T. I. Garmonova, V. N. Artem'eva and Ye. M. Nekrasova | 1972 | Flow birefringence and the conformational characteristics of the polyimide molecule based on the dianhydride of diphenyltetracarboxylic acid and 2,5-di(*p*-aminophenyl)pyrimidine |
| I. B. Sokol'skaya, V. V. Kireyev, V. A. Kovyazin and V. M. Kopylov | 1979 | Role of the hinge in the molecular motion in polydiaminophosphazenes |
| V. M. Svetlichnyi, Ye. V. Arkhipova, V. M. Denisov, A. I. Kol'tsov, V. M. Kopylov, V. O. Reikhsfel'd and V. M. Svetlichnaya | 1985 | Study of the reactions of synthesis of soluble polyimides containing oligodimethylsiloxane fragments |
| I. I. Vointseva, Ye. A. Askadskaya and V. V. Kazantseva | 1991 | Electroconducting homogeneous systems based on paired polymers |
| L. Z. Rogovina, V. G. Vasil'ev and G. L. Slonimskii | 1997 | Influence of the nature and concentration of the solvent on the formation and properties of polydimethylsiloxane networks |
| Ye. G. Kiparisova, T. G. Kulagina, B. V. Lebedev, I. I. Ponomarev, A. L. Rusanov and N. G. Matvelashvili | 2004 | Thermodynamics of the synthesis of polynaphthoylene benzimidazole in the 0–330 K range |
| M. I. Tsapovetskii, L. A. Laius, T. I. Zhukova and S. M. Yakopson | 2011 | Thermal cyclization of oligomeric amido acids |
| B. M. Tarakanov and O. A. Andreeva | 2017 | Temperature transitions and structural changes in polyacrylonitrile |
| V. M. Golubev | 2024 | Thermodynamic analysis of the surface segregation of macromolecules in linear polymers |
| A. E. Chalykh and A. S. Bobkov | 2033 | Diffusion of ester plasticizers in polybutadiene |

| | | |
|---|---|---|
| V. A. Pankratov, Ts. M. Frenkel, A. Ye. Shvorak, T. M. Babchinitser, O. V. Kovriga and K. A. Buchko | 2041 | A study of polyisocyanurateoxazolidone network polymers modified with low molecular rubber |
| A. N. Shtopenko, V. A. Shulga, L. V. Shtyrlina, O. V. Kargina and V. A. Kabanov | 2047 | Polyamidamine macromers—synthesis and properties |
| L. I. Moneva and Kh. R. Ivanova | 2054 | A study of the gelation of polyvinyl alcohol solutions containing divalent copper |
| A. A. Askadskii | 2061 | Influence of crosslinking density on the properties of polymer networks |
| A. A. Askadskii, Yu. I. Matveev and M. S. Matevosyan | 2069 | On predicting the solubility of polymers |
| V. A. Kaminskii and Ye. Ye. Brun | 2080 | Diffusion-controlled reactions in polymeric solutions |
| A. N. Krasovskii, V. V. Kurnosov, O. V. Stoyanov, V. G. Baranov, D. N. Polyakov, L. V. Alener and R. Ya. Deberdeyev | 2088 | IR spectra and structure of polyethylene coatings on silicon and germanium single-crystal substrates |
| S. Ya. Magarik and Yu. Ya. Gotlib | 2093 | Allowance for the anisotropy of the internal field in determining the optical anisotropy of macromolecules by dynamic birefringence |
| L. M. Yarysheva, Ye. M. Ukolova, O. V. Arzhokova, V. D. Zanegin, I. V. Kozlov, A. L. Volynskii and N. F. Bakeyev | 2100 | Effect of a plasticizer on the structure of PA-6 deformed in an adsorption-active medium |
| O. V. Kolninov, V. V. Kolesnikova, T. A. Krasavina and V. K. Milinchuk | 2106 | Photo- and radiation-chemical charge-transfer chain reactions in poly-*N*-vinylcarbazol films |
| O. A. Shmeleva and V. P. Mileshkevich | 2112 | Study of the equilibrium copolymerization of dimethyl- and methyl(3,3,3-trifluoropropyl)cyclosiloxanes |
| A. Ya. Polishchuk, L. A. Zimina, R. Yu. Kosenko, S. I. Belykh, A. L. Iordanskii and G. E. Zaikov | 2117 | Kinetics of diffusion-controlled release of drugs from polymer matrices |
| V. A. Topolkaraev, N. V. Gorbunova, I. L. Dubnikova, T. V. Paramzina and F. S. D'Yachkovskii | 2124 | Conditions necessary for preserving plasticity in filled polyolefins |
| V. A. Ivanov and A. N. Semenov | 2131 | To the problem of nonlinear elasticity of oriented fibres |
| | | **Chronicle** |
| | 2138 | Kargin Lectures |
| | 2141 | Sergei Prokof'evich Papkov |
| | 2143 | Georgii Vasil'evich Samsonov |



**1990** **VOLUME 32** **NUMBER 11**



| | | |
|---|---|---|
| M. D. Gol'dfein and B. A. Zyubin | 2145 | Kinetics and mechanism of the processes of preparing fibre-forming polymers based on acrylonitrile. Review |
| S. A. Pershin, A. N. Krychkov, E. V. Prut, M. N. Khotimskii and S. Kh. Matkarimov | 2167 | Effect of temperature on the limiting deformative characteristics of butadiene and isoprene elastomers |
| O. T. Gritsenko, A. Ye. Nesterov and T. S. Khramova | 2171 | Energy of the polymer–surface interaction and its effect on the level of adsorption from solutions of polymers and their blends |
| O. N. Tretinnikov and R. G. Zhbankov | 2176 | True (mean square) thickness of the surface layers in solid polymers and its determination by IR spectroscopy |
| V. V. Shamanin | 2186 | Fundamentals of the axiomatic theory of polymerization. Role of the triplet state of the intermediate in anionic and anion-coordination polymerization |
| A. A. Darinskii, Yu. Ya. Gotlib, A. V. Lyulin, L. I. Klushin and I. N. Neyelov | 2192 | Brownian dynamics of the polymer chain with rigid side groups |
| A. L. Yefimov, T. A. Bugrova and A. I. D'yachkov | 2199 | Kinetics of the accumulation of macroradicals on bulk polymerization of methacrylates |
| G. G. Arakelyan, I. M. Frolov, V. I. Kleiner and B. A. Krentsel' | 2205 | Alternating radical-coordination copolymerization of acrylonitrile with vinyl acetate in presence of ethylaluminium dichloride |

| | | |
|---|---|---|
| S. A. Kulikov, N. V. Yablokova, V. N. Kokorev, L. V. Mol'kova and Yu. A. Aleksandrov | 2211 | Modelling the process of synthesis of low molecular mass polyacrylic acid |
| N. V. Smirnova, G. A. Gabriyelyan and L. S. Gal'braikh | 2217 | Coordination-radical liquid phase graft polymerization of methacrylic acid in the presence of transition metals |
| A. V. Volkov, M. S. Arzhakov, A. L. Volynskii and N. F. Bakeev | 2222 | Elastic properties of polycaproamide modified with oxyaromatic compounds |
| A. L. Volynskii, A. V. Volkov, V. V. Bondarev, N. I. Seleznev, M. S. Arzhakov and N. F. Bakeev | 2226 | Mechanical properties of polycaproamide modified with resol phenol-formaldehyde oligomers |
| V. M. Litvinov and V. G. Vasilev | 2231 | Network structure of filled siloxane elastomers |
| A. Yu. Shaulov | 2238 | Tribomechanical effects in dispersion-filled polymers |
| M. I. Buzin, N. V. Vasilenko, L. M. Tartakovskaya, V. P. Zhukov, I. I. Dubovik, D. Ya. Tsvankin and V. S. Papapkov | 2242 | Mesomorphic polydiarylsiloxanes |
| V. B. Silkin, L. P. Maiorova, M. N. Bochkarev, Yu. D. Semechikov and N. L. Khvatova | 2249 | Thermal decomposition of perfluorinated polyphenylene germanes |
| V. V. Ginzburg | 2254 | Model of the structural transitions in paraffin crystals |
| V. S. Volkov and V. G. Kulichikhin | 2262 | Rheological anisotropy of liquid crystalline polymers |
| Ye. R. Gasilova, V. A. Shevelev, S. V. Lukasov and B. A. Zaitsev | 2270 | Proton magnetic relaxation in a monomer–oligomer mixture based on unsaturated esters |
| Ya. S. Vygodskii, N. A. Churochkina, L. V. Dubrovina, T. P. Bragina, S.-S. A. Pavlova, S. V. Vinogradova, A. Ye. Travkin, V. M. Kopylov and M. I. Shkol'nik | 2276 | Synthesis and properties of siloxane-containing card-like copolymers |
| V. A. Marikhin, A. I. Valtonen, V. M. Zolotarev, A. V. Mirza, L. P. Myasnikova and A. Ye Chmel' | 2282 | The fine structure of polyethylene crystallized in a stirred solution |
| V. L. Khodzhayeva, V. G. Zaikin, G. G. Arakelyan, V. I. Kleiner and B. A. Krentsel' | 2290 | Investigation of acrylonitrile copolymers by IR-spectroscopy |
| V. N. Tsvetkov, G. N. Marchenko, A. V. Lezar and N. V. Tsvetkov | 2296 | The Kerr effect in solutions of cellulose carbanilate in polar solvents |
| N. T. Kakhramanov | 2303 | Mechanism governing supermolecular structure of polyolefins modified by grafted acrylics |
| E. M. Antipov, V. M. Polikarpov, O. B. Semenov, V. S. Khotimskii and N. A. Platé | 2308 | A mesophasic state in poly(vinyltrimethylsilane) |
| T. I. Garmonova | 2315 | Dependence of flow birefringence on intrinsic viscosity in solutions of stiff-chain polymers |
| E. R. Gasilova, L. M. Kalyuzhnaya, V. A. Shevelev, S. Ya. Frenkel', A. G. Sinaiskii and A. Kh. Chernyi | 2321 | A PMR study of collapse in a crosslinked poly(oxyethylene-*co*-oxypropylene) hydrogel |
| Yu. Ya. Gotlib and G. A. Medvedev | 2328 | Conformational properties of the lattice model of a polymer chain in an orienting field of quadrupole symmetry |
| Yu. F. Zabashta | 2334 | Skeletal vibrations in amorphous polymers |
| S. A. Pavlov, Ye. A. Ragol'skaya, A. A. Abyshev and E. N. Teleshov | 2341 | Equilibrium character of postradiational grafting of MMA to a tetrafluoroethylene–vinylidenefluoride copolymer |
| | | **Methods of investigation** |
| V. A. Efremov, N. V. Pavlova, E. M. Ivleva and V. A. Kasankin | 2349 | A GPC study of non-stoichiometric polyelectrolyte complexes |
| M. G. Krakovyak, E. A. Sycheva, T. V. Sheveleva, V. M. Lenisov and E. V. Anufrieva | 2353 | A luminescence method for determining stereochemical structure (content of syndiotactic triads) of poly(methacrylic acid) |
| O. V. Lychkovskaya, V. N. Ryzhov, V. P. Rybalko, B. I. D'yachenko and V. V. Kireev | 2357 | Composition of solid residue from thermal degradation of densely crosslinked polyorganosiloxanes |

| | | |
|---|---|---|
| D. A. Topchiyev | 2361 | Photochromism of spiropyrans in polymeric media. Some aspects and possibilities of regulating the spectral-kinetic characteristics. Review |
| V. P. Shibayev and S. V. Byelyayev | 2384 | Prospects for the use of functional liquid crystal polymers and composites. Review |
| S. A. Pavlov, L. V. Pavlova and M. A. Bruk | 2429 | On the nature of the compensating effect in the elementary steps of surface diffusion and growth of kinetic chains in the course of polymerization of monomers in the adsorbed state |
| L. A. Tatarenko and Yu. A. Shlyapnikov | 2436 | Reactions occurring in the induction period of inhibited oxidation of polypropylene |
| V. A. Bershtein, A. D. Vilesov, L. V. Vinogradova, V. P. Volodin, Yu. Ya. Gotlib, A. A. Darinskii, L. M. Yegorova, V. M. Yegorov, I. Yu. Zhukov, V. N. Zgonnik, I. V. Kenunen, A. B. Sinani, I. V. Terent'eva, S. Ya. Frenkel' and V. A. Shevelev | 2442 | Features of segmental motion in the diblock copolymers of styrene and butadiene |
| A. I. Skushnikova, E. P. Danilovtseva, E. S. Dominina and T. I. Vakulskaya | 2449 | Kinetic features of the polymerization of 1-vinylazoles forming coordinate bonds with manganese dichloride |
| V. A. Ivanov, E. B. Brun and V. A. Kaminskii | 2454 | Special features of low temperature radical polymerization in the high conversion region |
| N. I. Boiko, Yu. S. Freidzon, V. P. Shibaev and N. A. Plate | 2463 | Cholesterol copolymers with side mesogenic groups |
| M. A. Zavyalov, V. V. Myasoedova and S. A. Pokrovskii | 2470 | Thermochemical characteristics of solutions of cellulose and of its ethers and esters |
| N. N. Smirnova and B. V. Lebedev | 2475 | Thermodynamics of the polymerization of cycloalkenes with ring-opening |
| O. O. Maksimenko, M. M. Fel'dshtein, Ye. F. Panarin, V. P. Torchilin, A. Ye. Vasil'ev and N. A. Plate | 2482 | Effect of electrostatic and hydrophobic interactions between comb-like polycations and lipids on the change in permeability of lipids at different pH values |
| N. N. Loginova, L. Ya. Madorskaya, A. P. Agapitov, V. M. Samoilov, V. A. Navrotskii, N. K. Podlesskaya and S. S. Ivanchev | 2487 | Special features of macromolecule formation in the copolymerization of fluoromonomers initiated by $\beta$-oxyethyl-*tert*-butyl peroxide |
| V. B. Murachev, I. G. Makarov, V. I. Aksenov, M. V. Terganova, Ye. F. Shashkina, V. N. Zaboristov and V. M. Kazakova | 2494 | An ESR study of chromium catalytic systems |
| V. A. Bershtein, V. M. Yegorov, V. A. Marikhin and L. P. Myasnikova | 2500 | Relationship between the melting cooperativity parameter, structure and strength of ultra-oriented polyethylene |
| O. D. Brazhnik and A. R. Khokhlov | 2509 | The dynamics of rod-like molecules in concentrated polymeric systems: a random-reorientation model |
| Yu. S. Lipatov, V. N. Chornaya, T. T. Todosiichuk and T. S. Khramova | 2517 | Adsorption from a mixture of thermodynamically compatible polymers in dilute and semidilute solutions |
| A. A. Turetskii, S. N. Chvalun, Yu. A. Zubov and N. F. Bakeev | 2525 | Defects in the crystalline lattice of highly oriented polyethylene and their changes during irradiation |
| Yu. K. Kokorin and V. N. Pokrovskii | 2532 | Mechanism of ultra-slow relaxation in non-dilute linear polymers |
| T. R. Aslamazova, V. I. Yeliseyeva, K. Tauer, K. Wiener, Yu. V. Pimenova and U. Kazul'ke | 2541 | Study of the emulsifier-free polymerization of alkyl(meth)acrylates in the presence of a surface-active initiator, and of the properties of the formed latexes |
| V. N. Doroshenko, T. B. Vishnyakova, A. P. Meleshevich, Z. E. Rozhkova, V. A. Nazarenko and I. R. Entinzon | 2547 | Study of radiation–chemical oligomerization of epichlorohydrine in the presence of an iodonium salt |
| P. V. Zamotaev, Z. O. Strel'tsova and O. P. Mityukhin | 2553 | Structure of networks of chemical crosslinks in polyethylene photochemically crosslinked in the presence of various photoinitiators |
| A. A. Askadskii, S. A. Tushin, V. V. Kazantseva and O. V. Kovrina | 2560 | Mechanism of deformation of thermally stable aromatic polymers studied on the example of polyimide |

V. V. Yegorov, O. B. Ksenofontova, A. A. Kljamkin and V. N. Torocheshnikov — 2569 Study of structurization in radical polymerization of cationic surface-active monomers in toluene

**Methods of investigation**

O. V. Vasil'eva, V. S. Volkov, M. M. Chernysh and V. G. Kulichikhin — 2576 A photoelectric method for measuring optical dynamic moduli of polymer liquids

V. I. Kolegov, N. E. Kharitonova, V. G. Marinin, L. M. Shevchuk, N. V. Kiseleva and T. V. Nikolaeva — 2581 Investigation of microdisperse crosslinked copolymers by hydrodynamic and gel permeation chromatography

i Volume Contents/Author Index for Volume 32, 1990

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.